



5857 Harbour View Boulevard, Suite 202
Suffolk, Virginia 23435
O. 757.935.9014 F. 757.935.9015
www.landplanningsolutions.com

February 26, 2016

Ms. Tammy Glave
Department Planning & Community Development
Currituck County
153 Courthouse Road, Suite 110
Currituck, NC 27929
252.232.3055

Re: Preliminary Plat – Resubmittal

CURRITUCK RESERVE

ARM006

Dear Ms. Glave:

Enclosed please find the Preliminary Plat Resubmittal Package consisting of the following:

- 5 sets of the Revised Preliminary Plat for Currituck Reserve
- 1 set of the Revised Preliminary Plat 8.5” x11”
- 5 copies of the Water Commitment
- 5 copies of the drainage narrative
- 5 copies of the Community Meeting Minutes
- 1 copy of the septic evaluations
- 1 Digital copy of the plans and supporting documents on CD

The plans have been revised to address the County’s comments that were included in a letter from Tammy Glave, Currituck County to Land Planning Solutions dated January 15, 2015. The comments were addressed as follows:

Planning, (Tammy Glave, 252-232-6025)

Approved with corrections:

1. Please provide a copy of the site evaluations for each lot. [Administrative Manual (AM)] [Copies provided.](#)
2. Call out the subdivision as a “Conservation Subdivision” on the plan. [Noted in the title.](#)
3. There appears to be a third flood zone on the property (AE 5.4) located at the southeast corner. Please add that to the flood zone note. (AM) [The flood zone has been shown.](#)
4. Show revised street names as approved by GIS. (AM) [Noted.](#)

5. Corner lots require a 5' non-non access easement on the most travelled street. (Unified Development Ordinance (UDO) Section 10.3.3) This needs to be shown on lots 9, 33, 65, 66, and 83. [The easement has been shown.](#)
6. Please make sure client is aware that all new utilities must be underground. (UDO Section 6.2.3) [Noted. See note 2 on Sheet 2.](#)
7. Please show utility easements on the plat. (UDO Section 6.2.3) [Utility easements are shown.](#)
8. In your open space table, please call out the amount of required open space/conservation area. (UDO Section 6.4.4 and 7.1.3) [Noted on Sheet 6.](#)
9. Please show the recreation/park dedication area on the plat. This area will be reviewed to determine if the county wishes to accept that area or require a fee-in-lieu of the dedication. (UDO Section 6.5) [Noted on Sheet 2.](#)
10. Please make sure client is aware that no more than 24" of fill is allowed for a septic system. (UDO Section 7.3.3) [Only 18" is proposed.](#)
11. Please correct sight triangle measurements to 10' x 70'. (UDO Section 10.3.4) [Revised.](#)
12. Show building setback lines on the plat. (AM) [Setback lines are shown.](#)
13. The street lights indicated on the plan must be full cut-off fixtures. The proposed lights do not appear to be full cut-off. (UDO Section 5.4.5) [Noted on Sheet 3.](#)
14. A sign must be installed at both street stubs with the words "Future Road Connection" to inform property owners. (UDO Section 5.6.5) [See Keynote 11.](#)
15. The Campus Drive street stub must extend to the property line to establish connection to adjacent land. (UDO Section 5.6.5) [Revised accordingly.](#)
16. If the street stubs at the property boundaries are within a drainage swale, the street stubs shall terminate at the edge of the swale and the developer shall post a performance guarantee to ensure funds are available to complete the street connection. Do either of these street stubs end at a drainage swale? [Noted. Roads are shown to the property line.](#)
17. Please clearly delineate sidewalk placement on the plan. [See Sheet 2 for the typical right-of-way section. Sidewalks have been shown.](#)
18. Plat certificates and statements will be addressed at final plat. For an accurate list of certificates and statements, please refer to the Administrative Manual. [Noted.](#)

Use Permit Criteria

- A. The applicant states that the use will not endanger the public health or safety as the development will meet all local and state regulations. Staff agrees. [Noted.](#)
- B. The applicant states that the use will not injure the value of adjoining or abutting lands and will be in harmony with the area because:
 - a. The proposed density is .9 units per acre.
 - b. There is 51.65 acres of preserved open space.
 - c. There will be reforestation of the conservation area.
 - d. There will be a farmland buffer consisting of vegetation and a berm.Staff agrees. [Noted.](#)
- C. Staff agrees that the use will be in conformity with adopted plans as there are supporting policies in the Moyock Small Area Plan and the Land Use Plan for this proposed development. [Noted.](#)
- D. Staff agrees that the proposed use will not exceed the county's ability to provide adequate public facilities. The number of students generated by the development does not exceed school capacities for that location. [Noted.](#)

NOTE

1. Currituck County will initiate a rezoning of the property to remove the PUD overlay from the property since the corresponding special use permit for the original 688 unit subdivision expired on January 1, 2015. [Acknowledged.](#)

Currituck County Building Inspections (Bill News, 252-232-6023)

Reviewed without comment.

Currituck County Engineer (Eric Weatherly/Michelle Perry, 252-232-6035/Currituck Soil and Water (Mike Doxey, 252-232-3360)

Approved with corrections:

1. Plans for Currituck Reserve developed by Mr. Warren Everhart for Campus Drive (as seen on the Moyock Library project) specified a four lane entrance. Do you have any plans to keep the original 4 lane entrance design? The pavement section for Campus Drive was 8" aggregate, 3" asphalt binder, and 2" asphalt surface coat. The developer held off on the 2" surface coat until Currituck Reserve was developed. We will request that the 2" asphalt surface coat be installed at this time on Campus Drive per the original Moyock Library plans. [With the change in development plans and the reduction in units, a 4 lane road is not warranted. The 2" asphalt top coat will be added with this development.](#)
2. Please provide/delineate the Reserve Utility Open Space. (UDO 6.2.3.E.3) [Notred on Sheet 2.](#)
3. Discussion items for TRC Meeting:
 - a. Typical lot drainage and lot line swales. [See the previously submitted feasibility sketches and drainage narrative.](#)
 - b. Easement and maintenance for outlet ditch. [The plans address relocating the drainage easement and ditch.](#)
4. Stormwater plans and calculations will be submitted and reviewed at the Construction Plan phase of the major subdivision. The overall plan for stormwater has been reviewed with Preliminary Plat. [Noted.](#)

Currituck County Fire and Emergency Management (James Mims, 252-232-6641)

Reviewed with comments:

1. Needed Fire Flow of the proposed construction cannot exceed available fire flow. (ISO) [Noted.](#)
2. Structures greater than 4,800 sq. ft. will be calculated as commercial structures. (ISO) [Noted.](#)
3. Fire hydrant must be spaced so that no road frontage is greater than 500' from a fire hydrant and no two fire hydrants are greater than 1000' apart. [Noted. The FH spacing has been shown on the plans.](#)
4. All fire apparatus access must be 20' wide 75,000lbs. capable all weather driving surface. [Noted and provided.](#)
5. All cul de sacs will be 96' diameter all hammerheads must be 120' or the listed alternative in Appendix D of the NCFPC. [No cul-de-sacs are proposed. Temporary turn arounds are provided until future extensions are made.](#)
6. All the above must be adhered to even if constructed in phases. [Noted.](#)

Currituck County GIS (Harry Lee, 252-232-4039)

Approved with corrections:

1. Currituck Reserve Pkwy is an approved street name. Wild Goose Dr is not approved to be used as a street name. Wild Geese Ct already exists in the county. Wild Goose Dr was also denied as a

street name in 2007 when the subdivision first came through TRC.
Gander Dr is approved. [Revised accordingly.](#)

2. Please resubmit plat with updated street names so addresses can be assigned by GIS. [Revised accordingly.](#)

Currituck County Parks and Recreation (Jason Weeks, 252-232-3007)

Approved with corrections:

1. Please show any potential land dedications to the County if there are any. At that point the County will decide if it will accept the property or allow the developer to pay the fee in lieu. [Noted on Sheet 2.](#)

Currituck County Utilities (Pat Irwin, 252-232-6061)

Reviewed with comment:

1. The Major Subdivision Design Standards do not require water or wastewater design data and details until the Construction Drawings segment of the review. [Noted.](#)

Albemarle Regional Health Services (Joe Hobbs, 252-232-6603)

Reviewed with comment:

1. CONSULT WITH KEVIN CARVER RS AT 252-232-6603 CONCERNING SEPTIC SYSTEM APPROVAL FOR EACH LOT THAT MAKES UP THIS PROPOSED SUB-DIVISION. [Done. Soil evaluations are attached.](#)
2. ACCORDING TO LAW/RULE 15A NCAC 18A.1938 RESPONSIBILITIES (J) OF SECTION .1900 SEWAGE TREATMENT AND DISPOSAL SYSTEMS IN NC THE ENTIRE WASTEWATER SYSTEM (WHICH INCLUDES REPAIR AREA) SHALL BE ON PROPERTY OWNED OR CONTROLLED BY THE PERSON OWNING OR CONTROLLING THE SYSTEM. THE PROPOSED REQUIRED REPAIR AREAS FOR SEPTIC SYSTEMS FOR MOST PROPOSED LOTS IS SHOWN ON THE PRELIMINARY PLAN TO BE LOCATED ON COMMON OPEN SPACE AREA CONTROLLED/OWNED BY A FUTURE COMMUNITY HOMEOWNERS ASSOCIATES WHICH MAY NOT BE ABLE TO BE APPROVED BY HEALTH DEPT. [Each lot owner will hold an easement and rights to the repair areas needed for each lot.](#)
3. DUE TO PROPOSED SMALL LOT SIZES OF 20,000 TO 22,000 SQUARE FEET ON AVERAGE; HEALTH DEPT. MAY RECOMMEND LARGER LOT SIZES OR CONSTRUCTING A WASTEWATER TREATMENT PLANT TO SERVE THIS PROPOSED SUB-DIVISION FOR SEWAGE TREATMENT AND DISPOSAL DEPENDING ON SOIL SUITABILITY FOR SUB-SURFACE SEWAGE TREATMENT AND DISPOSAL PER LOT. [Noted.](#)
4. SEPTIC SYSTEMS AND REPAIR AREAS MUST BE LOCATED A MINIMUM 50 FEET FROM ANY PONDS OR PROPOSED PONDS. [The buffer has been met.](#)

NC DENR, Land Quality Section (Pat McClain 252-946-6481)

Reviewed with comment:

1. More than one acre will be disturbed in the development of this project. An erosion and sedimentation control plan must be approved by the State prior to initiating any grading on this site. [Noted.](#)

NC Division of Coastal Management (Charlan Owens, 252-264-3901)

Reviewed without comment.

NC State Archeology (Lawrence Abbott, 919-807-6554)

Reviewed with comment:

1. An archaeological survey is not recommended. [Noted.](#)

US Postal Service, Shawboro Postmaster

1. Please contact the local postmaster (Moyock) to determine the mode of delivery and type of delivery equipment. [Noted.](#)

The following items are necessary for resubmittal:

- 4 - full size copies of revised plans.
- 1- 8.5"x11" copy of all revised plans.
- 1- PDF digital copy of all revised or new documents and plans.

If you wish to further discuss this project please do not hesitate to contact me.

Sincerely,

Scott Stamm, PE
Land Planning Solutions, LC

CC: Van Rose (Rose & Womble)
Melissa Venable (LPS)



5857 Harbour View Boulevard, Suite 202
Suffolk, Virginia 23435
O. 757.935.9014 F. 757.935.9015
www.landplanningsolutions.com

December 11, 2014

Currituck County
Planning and Community Development
Currituck Historic Courthouse
153 Courthouse Road
Suite 110
Currituck, NC 27929

Dear Mr. Woody:

On December 4, 2014, per our posted notice and mailed notification, AH Currituck Reserve, LLC held a Community Meeting. The meeting was well attended, see attached sign in sheet with a list of many of the attendants.

The meeting began at 5.30pm. We opened the meeting by describing our intention to submit a Preliminary Plat for a Major Subdivision. We also clearly stated that the PUD for Currituck Reserve shall expire January, 2015 and that the underlying zoning for the property is SFM. It was clearly stated that our application is for a portion of what was originally the Currituck Reserve PUD and will only encompass 112.8+/- acres and not the original 447+/- acres referred to as Currituck Reserve.

The boundary of the application and proposed SFM, Conservation Subdivision Plan was in question and we spent a good amount of time reviewing the property boundary of the 112.8+/- acres.

Another inquiry was in regard to lot size. Many of the neighboring properties are on 1 acre lots and our submittal was for a minimum 20,000 sq.ft lot. To follow we had a discussion about the Conservation Subdivision requirements, percent of open space and percent of developable area.

It was asked if we were aware of Mr. Haywood Ward's intent (adjacent property owner) and we explained that we have communicated with him but were not aware of his intentions at this time.

Several of the attendees were relieved that the property boundary for our submittal was not within 200' of their property. Many of the attendees were within 200' of the original Currituck Reserve Property boundary.

To follow, there were several questions in regard to:

- Drainage and the new state requirements, current ditch conditions and capacity
- There was an expressed desire (by two individuals) for Commercial development
- There were questions about adequate capacity of the schools & other services
- Questions were asked about what the asking price would be for the new houses
- We were asked how many phases the development would incorporate. We answered that it would probably be constructed in multiple phases.

The meeting concluded around 6.30 pm.

If you have additional questions please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Melissa Venable', followed by a period.

Melissa Venable
Land Planning Solutions, LC

Conceptual Stormwater Management Narrative

Currituck Reserve

Moyock, NC

December 16, 2014

General

The Currituck Reserve Subdivision is a proposed 103 lot "Conservation Subdivision" located on a 112.8 acre parcel immediately northwest of the Moyock Library off of Tulls Creek Road in Moyock. Minimum lot sizes are 20,000 sf, but the significant common open space required yields less than 1 home per acre which will allow the subdivision to be processed with NCDENR under a Low Density Stormwater Permit.

Summary of Existing Conditions

The subject parcel currently consists entirely of farm fields which have been maintained in row crops. Per the soils report prepared by Barney Environmental, the soils in this area consist of a tight sandy loam soil layer (approx. +/-3' thick) with more permeable sandy soils underneath. These soil conditions do not lend themselves to the installation of infiltration systems. The existing farm field is relatively flat (existing surface elevations generally range from 6.0' to 7.5') and is drained via a network of intersecting farm ditches across the site. When the soil column is punctured, the seasonal high water table appears to regulate at the juncture of the soil layers (+/- 3' below grade).

There are currently three sand pits located on the adjoining property immediately west of the project which have been excavated below the normal groundwater elevation. A variable width impoundment easement has been granted to Currituck Reserve which incorporates these sand pits and a portion of the property that they occupy.

The subject property and the surrounding farmland drains to a single culvert under Tulls Creek Road approximately 1800 feet northwest of the property.

Summary of Proposed Conditions

As noted above, the in-situ soils do not readily support the installation of infiltration based stormwater management systems. Therefore, in order to meet Currituck County's Stormwater Management Ordinance requirements, the existing sand pits are proposed to be expanded and converted into a significant stormwater wet pond which extends along the majority of the western property line of the Currituck Reserve property. This pond will be sized in accordance with Currituck County Stormwater Ordinance requirements to mitigate peak flows / mitigate increases in downstream water surface elevations associated with the proposed development. The pond will discharge via a control structure to an existing primary ditch which conveys runoff to the existing outfall culvert under Tulls Creek Road. This existing ditch will be analyzed and maintained/enhanced as needed.

A second, smaller pond will be located in the center of the subdivision and will be connected to the larger pond. This smaller pond will serve as a forebay for the large pond, accepting runoff directly from the development around it and providing pre-treatment of runoff prior to conveyance to the larger pond.

In order to establish drainage within the subdivision, the lots will be filled (+/-) 1' to 1.5' above existing grade. This will allow surface runoff from the lots to readily flow overland into roadside swales for collection & conveyance to the stormwater management pond. Depending on their location, surface drainage from some lots will flow to a rear swale as well. Where needed, shallow lot-line swales will be installed to convey runoff to roadside swales. These lot-line swales will not extend beyond the drainfield locations at the rear of the lots. Generally, the lots will be graded such that the drainfields will occupy the highest part of the lot. The general grading profile is expected to be as follows: Lots are generally anticipated to be 1.0'-1.5' above existing grade, roads are anticipated to be at 0.0' to 1.0' above grade, unimproved open space will be at grade, and stormwater improvements will be below grade. The permanent pool within the pond is expected to be established at / normalize at an elevation of 4.0'.

Once runoff is collected in roadside swales and rear swales, it will be conveyed to the stormwater pond via a series of collector swales located at various locations throughout the subdivision (these are preliminarily shown on the Conceptual Drainage Plan, but their final locations will be dictated by the engineered stormwater drainage model).

Engineering Design

Once the Preliminary plat is approved, the Engineer will build a drainage model of the proposed subdivision and incorporate it into a model of the entire drainage basin draining to the outfall culvert under Tulls Creek Road. This culvert has been identified as the critical outfall juncture. The drainage model will demonstrate the interactions of the proposed system with the existing farm ditch systems and will provide the basis for the sizing of the pond, sizing and layout of conveyances, and establishment of final grades throughout the subdivision. This model / design will then be presented to Currituck County for review as is customary in the Construction Plans phase of the subdivision approval process.

COUNTY OF Currituck
Maple, NORTH CAROLINA 27956



PATRICK IRWIN
Public Utilities Director

444 Maple Road
Phone: (252) 232-6061
Fax: (252) 453-3721
E-mail: pat.irwin@currituckcountync.gov

October 30, 2013

Mr. Jeffery Huentelman, P.E.
Land Planning Solutions
5857 Harbour View Boulevard, Suite 202
Suffolk, VA, 23435

RE: Commitment to Serve Letter for Currituck Reserve Phase 1

Mr. Huentelman:

The Currituck County Mainland Water System will commit to serve the Currituck Reserve Phase 1 Subdivision when all fees are paid to the system and the Water System's Final Certification is received from the North Carolina Department of Environment and Natural Resources Water Supply Section.

Sincerely,

Patrick Irwin
Public Utilities Director
Currituck County

ALBEMARLE REGIONAL HEALTH SERVICES

196372

Applicant:

ANLAUF ENGINEERING PLLC

4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 1
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic and repair, fill area, decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'

EHS: Kevin Carver, RS/shw
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196374

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE, SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 2
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196376

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE., SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 3
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/ab
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196377

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE, LLC
222 CENTRAL PARK AVE., SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 4
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
Pay * 22500 Permit fee

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/abc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196381

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 5
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/abw
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196382

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE PLLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 6
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196383

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 7
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/ab
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196384

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 8
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196385

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 9
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196387

Applicant:

ANLALUF ENGINEERING
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 10
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196389

Applicant:

ANLAUF ENGEINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 11
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196390

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 12
MOYOCK, NC 27958

GPD: 480 **LTAR:** 0.260 **Classification:** PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196391

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE. SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 13
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/ab
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196392

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 14
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196393

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 15
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196394

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 16
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196395

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 17
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196396

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 18
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196397

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 19
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS / s/he
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196398

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 20
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/lsb
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196399

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 21
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196400

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 2.2
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing; but not limited to; driveway, initial septic & repair, fill area decks, and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property lines. Loamy sand @ 3.5

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196401

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 23
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sho
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196402

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE. SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 24
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 25
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196404

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 26
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196405

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 27
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196406

Applicant:

ANLAUF ENGEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 28
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196407

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 29
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 30
KITTY HAWK, NC 27949

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/SE
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196409

Applicant:

ANLAUF ENGEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 27962

Site Location:

CAMPUS DR Lot 31
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 27962

Site Location:

CAMPUS DR Lot 32
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196411

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 27962

Site Location:

CAMPUS DR Lot 33
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196412

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 34
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/abc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 35
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196414

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 36
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/SE
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196415

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 37
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/Asst
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 38
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/Se
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196418

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEAH, VA 23462

Site Location:

CAMPUS DR Lot 39
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/abe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196419

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 40
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196421

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 41
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/ sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196422

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUC RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 42
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/SE
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196423

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 43
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196424

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 44
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196425

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 45
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196426

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 46
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196428

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 47
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196429

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 48
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, BS/sh
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196430

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 49
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196434

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 50
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196435

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 51
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/Se
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196436

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 52
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, R.S./S.E.
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196437

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 53
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196438

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 54
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196439

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 55
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS Labe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196440

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 56
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196441

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 57
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/SE
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196443

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 58
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/She
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196446

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 59
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sk
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196448

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 60
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196449

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 61
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196451

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 62
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196454

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 63
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196455

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 64
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196456

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 65
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196458

Applicant:

ANLAUF ENGINEERING PLLC
7421 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 66
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196459

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 67
MOYOCK, NC 27958

GPD: 480 **LTAR:** 0.260 **Classification:** PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196460

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 68
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/ab
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196461

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUTIE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 69
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196463

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 70
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/ale
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196464

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 71
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196465

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUTE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 72
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196466

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 73
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/MS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196467

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 74
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196468

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 75
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196469

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 76
MOYOCK, NC 27958

GPD: 480 **LTAR:** 0.260 **Classification:** PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/she
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 77
MOYOCK, NC 27958

GPD: 480 **LTAR:** 0.260 **Classification:** PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/she
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196472

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 78
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/ole
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 79
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, BS/ABE
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196474

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27958

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 80
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196475

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 81
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbr
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196476

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 82
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196477

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 83
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196478

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 84
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/che
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ABLAUF ENGINEERING PLLC
4721 W ECKHER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUTIE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 85
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/she
Carver, Kevin

Date: 02/04/2015

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196481

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 86
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/AS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196485

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 87
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/she
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196486

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTT HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 88
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/ABE
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196487

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKMER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 89
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to; home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe of slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196488

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 90
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver RS/she
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196489

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAAMPUS DR Lot 91
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / JSC
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196490

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 92
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/als
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196491

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 93
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/LS
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196493

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 94
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196494

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 95
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sdc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196497

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 96
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196500

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 97
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

196501

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 98
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/she
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196502

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 99
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196504

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 100
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/shc
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196505

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAAMPUS DR Lot 101
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS / sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196506

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 102
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/sbe
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

196507

Applicant:

ANLAUF ENGINEERING PLLC
4721 W ECKNER ST
KITTY HAWK, NC 27949

Owner:

AH CURRITUCK RESERVE LLC
222 CENTRAL PARK AVE SUITE 2100
VIRGINIA BEACH, VA 23462

Site Location:

CAMPUS DR Lot 103
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: Kevin Carver, RS/she
Carver, Kevin

Date: 02/04/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100