

Ward 48 Acre Property

Community Meeting for Preliminary Plat

March 31, 2016

Scheduled Time/Place: 6:00pm, Moyock Library, Moyock, NC

Meeting Began at 6:15 pm (waited for late arrivals)/ Meeting Ended: at approximately 6:45 pm

Attendees: (See attached sign-in sheet)

Scott Alley – Old Jury Road
Donna Voliva – Currituck County
Justin Old – Allied Properties
Mark Bissell – Engineer

Comments from the Community	How Addressed
Mr. Alley expressed several concerns about community needs and public facilities, but had no objection to the development proposal	

Summary:

Mark Bissell presented a brief summary of the land and setting and the approval process, along with a brief presentation of the development plan (48 SF lots; 20,000 sq ft minimum lot size; 100' typical lot width; community ponds/lakes; buffers.

No concerns about the development proposal were received.

After a half-hour discussion about the Moyock community and the Ward plan in particular, the meeting was adjourned.

Ward 48 Acre Tract – Community Meeting

Outline of Presentation

March 11, 2016

A. Housekeeping –

- Please sign-in
- A record of the Community meeting will be provided to Currituck County. (any concerns raised/attempts to address concerns)

B. What is the Request?

- Residential community on 48 acres (one of the tracts of what was going to be “Currituck Reserve”)
- Conservation subdivision of 48 lots

C. The Process:

- Conservation & Development Plan
- Community meeting (now)
- Prepare updated plan for County submittal
- TRC review
- PB review
- BOC hearing/action

Then:

- Construction drawing application
- Construction
- Final plat application

D. Property Overview:

- Review of context
- 48 acre cultivated tract
- Adjacent land use:
 - i. Residential to the north of Tulls Creek Rd & some development along the State Road
 - ii. To the west and south is Currituck Reserve property – being planned for half-acre lots now
 - iii. To the east is large residential lots
- Proposing 20,000 SF lots
- Connect to County water system

- Studying existing drainage;
- 40% open space with stormwater ponds to hold 6" +/- of rainfall on site; reduce runoff contributed from site compared to existing farmland
- Buffers/screening

E. Community Concerns/Input

-



The Coastal Experts

March 1, 2016

RE: Community Meeting for Preliminary Plat Application for Ward Tract 48 Acres

Dear Property Owner:

We would like to invite you and other nearby property owners to a community meeting regarding an upcoming preliminary plat application for the undeveloped 48 Acre Ward Tract subdivision. Allied Properties, LLC is proposing to develop approximately 48 acres for a residential subdivision. The property is described as tax parcel 0022-000-078A-0000, located on the south side of Tulls Creek Road off of Campus Drive in Moyock, NC, just south of the Moyock Library. A conceptual plan is attached for your review.

The purpose of the community meeting is to inform you and nearby property owners about this application that will be reviewed under Currituck County's Unified Development Ordinance, and to provide you an opportunity to give comments and express any concerns or suggestions about the development. The plan may change as a result of input from the County and the community.

The community meeting will be held on Friday, March 11, 2016 at 6:00 pm sharp, at the Moyock Library located on Campus Drive off Tulls Creek Road. We hope you will be able to come and participate in this important meeting.

Sincerely,
Bissell Professional Group
(Agent for the Applicant)

A handwritten signature in blue ink, appearing to read "Mark S. Bissell", is written over the typed name. The signature is fluid and cursive, with a long horizontal line extending to the right.

By: Mark S. Bissell

cc: Currituck County Planning and Community Development


Parcel ID Number	Global PIN	Owner Name 1	Owner Name 2	Owner Name 3	Billing Address	Billing Address Continued	Billing City	Billing State	Billing ZIP Code	Owner Name 4	Owner Name 5	Owner Name 6	Owner Name 7	Owner Name 8	Owner Name 9	Owner Name 10
1	002200000210000	8041-37-6974 KAY, SUSAN COLEMAN			PO BOX 22		HAMPSTEAD	NC	28443							
2	00220000061A0000	8041-37-1041 COOLMAN, JAMIEL			172 OLD JURY RD		MOYOCK	NC	27858							
3	0022000078A0000	8041-26-2936 WARD, HAYWOOD E			7850 HWY 76 WEST, LOT 46		OKEECHOBEE	FL	34974							
4	0022000061B0000	8041-26-844 REED, AARON C			1016 MOUNT VERNON DR #3		SHELBYVILLE	KY	40065							
5	0022000061C0000	8041-25-5747 ALLEY, SCOTT M			220 OLD JURY RD		MOYOCK	NC	27858							
6	0022000078D0000	8041-28-8420 CURRITUCK COUNTY			153 COURTHOUSE RD, STE 204		CURRITUCK	NC	27829							
7	0022000078B0000	2582 AH CURRITUCK RESERVE LLC			222 CENTRAL PARK AVE	SUITE 2100	VIRGINIA BEACH	VA	23462							
8	0022000078E0000	1504 AH CURRITUCK RESERVE LLC			222 CENTRAL PARK AVE	SUITE 2100	VIRGINIA BEACH	VA	23462							

Community Meeting Sign-In Sheet
For Ward Tract

March 11, 2016 @ 6:00 P.M.

NAME	ADDRESS	TELEPHONE	E-MAIL
MARK BAKER SCOTT ALLEY DONNA YOUVA	Pol/Cog Kitty track 220 OLD SUKLY Rd Curapuck County	(252) 202-7215 757-286-9430	Mark@bissellprofessionalgroup.com SMALLEY@LIVE.COM

Currituck County GIS Online Mapping



- Communities**
- Aydlett
- Barco
- Colinck
- Conella
- Currituck
- Gibbs Woods
- Grandy
- Harbinger
- Jarvisburg
- Knots Island
- Maple
- Moyock
- Point Harbor
- Poplar Branch
- Rewells Point
- Shawboro
- Silgo
- Waterlily
- County Boundary**
- State
- County
- Streets**
- Wright Memorial Bridge
- Major Streets**
- Arterial_Principal
- Arterial_Major
- Collector_Major
- Ferry Route
- Parcel Land Hooks
- Parcels
- Currituck County

1000 ft

Currituck County GIS
 (252)232-2034
www.co.currituck.nc.us/Geographic-Information-Services.cfm

This map should be used for general reference purposes only. Currituck County assumes no legal liability for the information shown on this map.



PROFESSIONAL GROUP

The Coastal Experts

Currituck County
Engineering Stormwater Management Plan Report
Narrative and Basis of Design

Project:

Glenmoor Ridge

Conservation Subdivision

Moyock Township, Currituck County, North Carolina

Prepared By:

Bissell Professional Group

P.O. Box 1068
3512 N. Croatan Highway
Kitty Hawk, North Carolina 27949

June 1, 2016

PRELIMINARY
For Review Purposes Only



STORMWATER MANAGEMENT NARRATIVE:

PROPOSED DEVELOPMENTAL ACTIVITIES

The intent of the stormwater management design, to the maximum extent possible, is to employ best management practices through the use of vegetative conveyances, vegetative buffers and wet-detention BMP's to serve the proposed development. As a whole, the development will consist of 48 residential single family home lots served by subdivision roads located on a 48 acre tract of land. The proposed Glenmoor Ridge subdivision is located off of Campus Drive, south of the Moyock Library, with its main entrance to be located off of an extension of Campus Drive though an existing 100' access easement. The property is in Moyock Township, Currituck County, North Carolina.

The proposed developmental activities include the following:

- a) Construction of 48 single family residential home parcels in five phases, with a minimum lot size of 20,000 square feet
- b) Construction of about 3,890 linear feet of typical asphalt subdivision road with two cul-de-sacs and a open swale section
- c) Waterline installation
- d) Drainage and Stormwater BMP Improvements
- e) A paved trail system

SITE SOILS

The following is a summary of the soils typically found within the project boundary limits:

SOIL DESCRIPTION

The site has been mapped entirely as:

R0: Roanoke Fine Sandy Loam: Nearly level, poorly drained soil on broad flats and in slightly depressed waterways. Permeability is slow with a seasonal high water table at or near the surface. Permeability in the first 45" of soil is described as being 0.06 in/hr – 0.2 in/hr.

A seasonal high water table elevation of about 18" below land surface is approximated in the area of the development's proposed BMP's based on a preliminary site investigation.

- *Information referenced from United States Department of Agriculture, Soil Conservation Service, Soil Survey of Currituck County, North Carolina*

EXISTING SITE TOPOGRAPHY AND DRAINAGE FEATURES

The site's topography is gently sloping from north to south.

There is an existing network of farm ditches, which outlet to a ditch that flows north and then west to an outfall ditch that is located within an existing 40' easement, which then flows north under Tulls Creek Road, as shown on the attached drainage overview map.

Elevations across the property range from approximately 6' to 8' msl.

Land use in the area is predominately residential development and farmland.

METHODOLOGY OF MANAGING STORMWATER RUNOFF

In addition to NCDENR's low-density permitting requirements, the development will also be designed in accordance with Currituck County's UDO and the Stormwater Management Plan requirements for Major Subdivisions as outlined in the County's Stormwater Manual and as follows.

Currituck County requires that all major subdivisions provide adequate stormwater controls to retain the-post development 10-year, 24-hour peak discharge so that it does not release a peak discharge greater than the 2-year, 24 hour peak discharge using a wooded site condition, regardless of actual pre-development site conditions.

Because there are three tracts of land that are all adjacent to one another which are all being developed at about the same time, and will share some of the existing drainage outlets, it has been proposed that the developers of these tracts work together to prepare a single stormwater model that models runoff for the three developments. In this way, stormwater can be attenuated and cumulative discharges to the outlets can be better evaluated and controlled.

STORMWATER RUNOFF COLLECTION AND MANAGEMENT

Existing Drainage Outlets:

As shown on the Drainage Overview map, existing farm runoff appears to discharge to a single outlet which flows to the north through an existing 40' easement (Outlet No. 4 on the drainage overview map). It then continues north off site and through an existing culvert under Tulls Creek Road. Occasional flooding has been reported at this outlet.

Preliminary Plan:

Three Stormwater BMP's are proposed in Glenmoor Ridge, which are:

- Two ponds of about one-half acre each which flank the main entrance road.
- A new lake with proposed area of about 5 to 6 acres to be located to the west of the proposed residential development.

The lakes will be modeled together, along with the additional lakes and ponds that are to be located on Parcels B and C (the Currituck Reserve and Waterleigh developments). The existing outlets will also be modeled, and runoff directed proportionally to the outlets, based upon the ability of each outlet to accept runoff.

For the internal drainage, in general, rainfall runoff from the residential lots will primarily sheet flow overland into vegetative swales. Runoff from the roadways will be collected using a standard roadway swale which will outlet periodically through a vegetative collector swale to the rear of the lots and then outlet to new vegetative swales which will convey runoff to the wet-detention BMP's as illustrated on the preliminary drawings and as described above. Drawdown from the BMP's will be handled via typical drawdown devices and overflow will be managed through typical spillways. Discharge from all drawdown devices, and the overflow spillways will be portioned to the four existing outfall ditches. Swales will act as broad, shallow, vegetative filters, constructed with side slopes of 3:1 or greater and vegetated with grass. Longitudinal slopes are being kept relatively flat, to provide for low velocity flows, thereby aiding infiltration and sediment removal in accordance with passive best management practices.

STORMWATER MANAGEMENT OVERVIEW

The following information is in conformance with the Currituck County Unified Development Ordinance:

- 1) Proposed impervious coverage of less than 30% for each residential lot.
- 2) Provision of vegetative conveyance swales to collect and transport stormwater runoff from all impervious surfaces to the three proposed BMPs.
- 3) Provision of three wet-detention BMP's with drawdown devices and overflow spillways that outlet to adjoining outlet ditches. The BMP's are designed with about 24 inches of storage depth to manage the design storm.
- 4) Provision of vegetative buffers.
- 5) The site lies entirely in a Shaded X FIRM, so building pad and first floor elevations will be dictated by the stormwater analysis at the preconstruction approval stage, as well as by the Health Department.

A tentative grading plan is included in the preliminary plat set, showing how lot areas will be elevated along with the stormwater management measures to provide both storm protection and vertical separation from the seasonal high water table to satisfy the health department.


OPERATION & MAINTENANCE

SCHEDULE OF COMPLIANCE

The developer shall maintain the responsibility for the stormwater management system until at which time a Property Owner's Association assumes responsibility. The stormwater measures are to be installed and maintained as follows:

- A. The BMPs, swales and other vegetated conveyances shall be constructed, vegetated, and maintained to be operational.

- B. During construction, erosion shall be kept to a minimum and any eroded areas of the swales or other vegetated conveyances will be repaired immediately.
- C. The following operation & maintenance measures must be performed on all stormwater management measures for optimum efficiency of the stormwater management system:
 - 1. Inspections- at least (1) every 6 months or after any significant rainfall event.
 - 2. Sediment Removal - at least (1) every 6 months or after any significant rainfall.
 - 3. Mowing, and revegetating of the side slope once a month.
 - 4. Immediate repair of eroded slopes.
 - 5. General maintenance of side slopes in accordance with approved plans & specs.



BRUSSELL
 BRUSSELL PROFESSIONAL GROUP
 1000 W. HARRIS STREET
 SUITE 100
 RALEIGH, NC 27601
 TEL: 919.876.1100
 FAX: 919.876.1101
 www.brussell.com

DRAINAGE OVERVIEW

THIS DOCUMENT IS THE SOLE PROPERTY OF BRUSSELL PROFESSIONAL GROUP, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE EXPRESS WRITTEN CONSENT OF BRUSSELL PROFESSIONAL GROUP, INC. © COPYRIGHT 2016

WARD TRACTS
 HOYOCK TOWNSHIP CURRITUCK COUNTY NORTH CAROLINA

REVISIONS

NO.	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

CONCEPTUAL STORMWATER PLAN

DATE: 05/12/16 SCALE: 1"=100'
 DESIGNED BY: BPG DRAWN BY: MSB
 CHECKED BY: KFT
 SHEET: 1 of 1
 CAD FILE: 457800DRN-1
 PROJECT NO: 4578

Proposed Street Name Review and Addition to Master Street List Form

To Be Completed By Applicant

Subdivision Name: Glenmoor Ridge
Subdivision Type: Conservation Subdivision
Applicant: Allied Properties, LLC
Address: P.O. Box 743
Moyock, NC 27958
Phone: (252) 435-2718 Fax: _____

Proposed Street Name(s):

Glenmoor Path _____
Steppeside Lane _____

Alternate Street Name(s): *Please provide at least one (1) alternate street name*

Avocet Path _____

To Be Completed By County Staff

Proposed street names with a check mark have been approved. Proposed street names with an X mark have been denied.

Reviewed By: _____ Date: _____

Add the following data to the Master Street List:

Street Name: _____

Address Range: _____

F&R #: _____

Community: _____

ZIP: _____

Location: _____

Plat Approval Date: _____

Plat Approved By: _____

COUNTY OF Currituck
Maple, NORTH CAROLINA 27956



PATRICK IRWIN
Public Utilities Director

444 Maple Road
Phone: (252) 232-6061
Fax: (252) 453-3721
E-mail: pat.irwin@currituckcountync.gov

May 17, 2016

Mr. Mark Bissell, P.E.
Bissell Professional Group
3512 N. Croatan Highway
Kitty Hawk, NC 27949

RE: Commitment to Serve Letter for the Ward 48 Acres Subdivision

Mr. Bissell:

The Currituck County Mainland Water System will commit to serve the Ward 48 Acres Subdivision when final approval is issued by NCDEQ Water Supply Section, all fees are paid to the system, and the required number of meters is received.

Sincerely,

Patrick Irwin
Public Utilities Director
Currituck County

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 1 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices


To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218365

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 2 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 3 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


 Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 4 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 5 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 6 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 7 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 8 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices


To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 9 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT10 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


 Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 11 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
 PO BOX 743
 MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
 7950 HWY 78 WEST LOT 46
 OKEECHOBEE, FL 34974

Site Location:

LOT 12 OFF CAMPUS DR
 MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


 Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
 Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT13 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 14 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


 Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 15 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 16 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 17 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT18 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 19 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:


Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT#0 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):


- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 21 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 22 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT~~23~~ OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 4 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 25 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 **LTAR:** 0.260 **Classification:** PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218394

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT~~26~~ OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 2 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218396

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT~~28~~ OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 29 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218398

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 30 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 31 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 32 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218401

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 33 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218402

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 3/4 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218403

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 35 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices


To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218404

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 36 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 37 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 38 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

ALBEMARLE REGIONAL HEALTH SERVICES

218407

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 39 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 **LTAR:** 0.260 **Classification:** PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

21B409

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT#0 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218411

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT41 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252)482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT42 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 43 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT44 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: 
Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Applicant:

ALLIED PROPRITIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 45 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____


Carver, Kevin
Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

ALBEMARLE REGIONAL HEALTH SERVICES

218422

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT#6 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480 LTAR: 0.260 Classification: PS w/Fill

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPERTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 7 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
----------	-------------	---------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired amenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS:



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100

Applicant:

ALLIED PROPRTIES LLC
PO BOX 743
MOYOCK, NC 27958

Owner:

WARD HAYWOOD & CYNTHIA
7950 HWY 78 WEST LOT 46
OKEECHOBEE, FL 34974

Site Location:

LOT 48 OFF CAMPUS DR
MOYOCK, NC 27958

GPD: 480	LTAR: 0.260	Classification: PS w/Fill
-----------------	--------------------	----------------------------------

If unsuitable, the site may be reclassified to provisionally suitable with the following modification(s):

- * Fill Area 120 ft. by 70 ft. with 18 in. of Sand
- * Groundwater Lowering Devices

To obtain an Authorization to Construct:

- * Submit a plat or scale drawing of the lot, showing location and dimensions of all property lines, proposed structures and driveways
- * Pay permit fee of \$225
- * The entire wastewater sewage system shall be on property owned or controlled by the person owning or controlling the system. Necessary easements, right of ways, or encroachment agreements, as applicable, shall be obtained prior to the issuance of a construction authorization for the system installation or repair. Terms of the easement, right-of-way or encroachment agreement shall provide that the easement, right-of-way, or encroachment : (see rule .1938 (i) in the "Laws and Rules for Sewage Treatment, and Disposal System" 15 AC NCAC 18A .1900)

Comments:

A detailed site plan must be submitted by a NC Licensed Surveyor or NC Professional Engineer showing but not limited to, home, driveway, initial septic & repair area, fill area, decks and all other desired ammenities. This is to ensure all setbacks can be met. If setbacks cannot be met, lots will have to be larger due to space restrictions. Currituck County requires toe slope of fill to be 10'+ from property line. Loamy Sand @ 3.5'.

EHS: _____



Carver, Kevin

Date: 06/21/2016

THIS APPROVAL WILL BECOME VOID AFTER 12 MONTHS AND A NEW APPLICATION WILL BE NECESSARY.

Bertie (252) 794-5303 Camden (252) 338-4460 Chowan (252) 482-1199 Currituck (252) 232-6603
Gates (252) 357-1380 Pasquotank (252) 338-4490 Perquimans (252) 426-2100